

**AMENDMENTS TO THE DRAWINGS**

Please replace the drawing sheet containing Figures 1C and 1D with the replacement sheet submitted herewith.

**REMARKS****1. Preliminary Remarks****a. Status of the Claims**

Claims 1 and 2 are allowed.

**b. Amendments to the Drawings**

The Examiner requires submission of corrected drawings in the Notice. Specifically, the Examiner requires correction of a typographical error in the Y-axis label in Figure 1D, in which “BOUNF/FREE” has a misspelling. The replacement sheet containing Figure 1D corrects the spelling so that the label reads, “BOUND/FREE”.

**2. Conclusion**

Applicant respectfully submits that the instant application is in good and proper order for issuance as a patent and notification to this effect is solicited. If, in the opinion of the Examiner, a telephone conference would expedite the prosecution of the instant application, the Examiner is encouraged to call the undersigned at the number listed below.

Respectfully submitted,

POLSINELLI SHUGHART PC

Dated: July 8, 2010

On behalf of: Lisa V. Mueller  
Registration No. 38,978

By: /Ron Galant/  
Ron Galant, Ph.D.  
Registration No. 60,558  
Customer No. 89399

POLSINELLI SHUGHART PC  
161 N. Clark St., Ste. 4200  
Chicago, IL 60601  
312.819.1900 (main)  
312.873.2932 (E-fax)  
312.873.3632 (direct)